


11SH vs 01SH10 Performance Comparison




CURVE / C01SH10PERF

3500 RPM - 2 POLE




Previous Impeller	Previous Impeller Dia. (in)	New Impeller	New Impeller Dia. (in)
A	10.09	A	9.64
B	9.53	B	8.81
C	9.13	C	8.66
D	8.75	D	8.19
		E	8.00
		F	7.75
		G	7.20

2900 RPM - 2 POLE



Previous Impeller	Previous Impeller Dia. (in)	New Impeller	New Impeller Dia. (in)
A	10.09	A	9.64
B	9.53	B	8.81
C	9.13	C	8.66
D	8.75	D	8.19
		E	8.00
		F	7.75
		G	7.20

1750 RPM - 4 POLE



Previous Impeller	Previous Impeller Dia. (in)	New Impeller	New Impeller Dia. (in)
A	10.09	A	9.64
B	9.53	B	8.81
C	9.13	C	8.66
D	8.75	D	8.19
		E	8.00
		F	7.75
		G	7.20

Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're a global team unified in a common purpose: creating advanced technology solutions to the world's water challenges. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. Our products and services move, treat, analyze, monitor and return water to the environment, in public utility, industrial, residential and commercial building services settings. Xylem also provides a leading portfolio of smart metering, network technologies and advanced analytics solutions for water, electric and gas utilities. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise with a strong focus on developing comprehensive, sustainable solutions.

For more information on how Xylem can help you, go to www.xylem.com

Xylem Inc.

2881 East Bayard Street Ext., Suite A, Seneca Falls, NY 13148

Phone: (866) 673-0428 Fax: (888) 322-5877

www.xylem.com/goulds

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license.

© 2020 Xylem Inc. C01SH10PERF March 2020

