Antennas - 2G, 3G, 4G, 5G

6 26

All

STABLE CONNECTIONS, SAFE COMMUNICATION

General

Securing a stable data transfer or remote control, may require installing an external antenna. In general, the signal is stronger near cities or bigger roads, but many devices are located where the 2G, 3G, 4G and 5G signal strength is weak.

You can mount MJK 2G, 3G, 4G and 5G antennas directly on a cabinet, a nearby wall or even on a mast.

MJK antennas are selected based on which coverage type is available in the area in question (2G, 3G, 4G or 5G). Next, it is selected based on the signal strength and naturally also on which mounting is best suited for the application itself.

Features

The available frequency band is decided by the signal provider.

The frequencies will normally be spread relative to the technologies as illustrated below.

Technology	Frequency
GSM (2G)	900-1800 MHz
GPRS (2G)	900-1800 MHz
3G	1900, 2100 MHz
4G	800, 900, 1800, 2600 MHz
5G	3400-3800 MHz

Frequencies

Band	Frequency (MHz)	Technology
800 MHz	791-862	4G
900 MHz	891-945	2G, 3G, 4G
1800 MHz	1710-1880	2G, 4G
2100 MHz	1920-2170	3G
2600 MHz	2500-2690	4G
3,5 GHz	3400-3800	5G



Antenna wall fin for Connect / Chatter



Specifications				
Ordernumber	205184 205185 205186 205187			
Cable length	0,5 m	0,5 m 2 m		10 m
Frequency	800/1800/2100/2600 MHz, 4-band			
Amplification	0 dB			
Connection/plug	MMCX / Male			
Kapsling	IP65			
Mounting	Wall or Closet side / vertically			
Montage	2 pcs. 1" x 8 screws			
Mechanical dim.	136 x 47 x 40 mm (l x w x h)			

Antenna, big, flat, vandalsafe for Connect / Chatter



Specifications			
Order Numbers	205175 205176		
Cable Length	2 m 6 m		
Frequency	900/1800 MHz, 2G 2-band		
Amplification	3 dB		
Connection/plug	MMCX / Male		
Mounting	Wall or Closet side / vertically		
Montage	12 mm pipe adaptor with nut		
Mechanical dim.	126 x 24 mm (dia x h)		

Antenna with extra gain, vandal-safe for Connect/Chatter



Specifications			
Order Numbers	205167 205168		
Cable Length	0,5 m	2,5 m	
Frequency	800/900/1800/2100/2600 MHz og 3,5GHz, 6-band		
Amplification	5 dB on ground plane (on the outside of a metal cabinet)		
Connection/plug	MMCX / Male		
Mounting	Top / horizontally		
Montage	19 mm pipe adaptor with nut		
Mechanical dim.	13,8 x 55 mm (dia x h)		

Antenner - 2G, 3G, 4G, 5G


Pole antenna for mast, standard

Specifications			
Order Numbers	205119	205114	
Cable Length	6 m	10 m	
Frequency	800/900/1800/1900/2100 MHz, Multiband		
Amplification	0 dB		
Connection/plug	MMCX / Male (FME/Female)		
Mounting	1" RG union nut		
Mechanical dim.	18 x 400 mm (dia x h)		

specifications		
Order Numbers	205196 205197	
Cable Length	6 m	10 m
Frequency	1900/2100 MHz, 3G	
Amplification	5 dB	
Connection/plug	MMCX / Male (FME/Female)	
Mounting	1" RG union nut	
Mechanical dim.	18 x 840 mm (dia x h)	

Pole antenna for mast, with gain





101010

Specifications	
Order Numbers	205199
Cable Length	10 m
Frequency	900/2100 MHz, 2G/3G
Amplification	11 dB
Connection/plug	MMCX / Male (FME/Female)
Mounting	Bracket for mast/wall included
Mechanical dim.	170 x 1340 mm (w x l)



Cable

MJK delivers alternative cable lengths. This ensures that cable type and length is optimal for the individual installation.

Ordernumbers

Antennas	
205116	Antenna, small profile, 3 band, 2m cable, MMCX/Male
205167	Antenna, 6 band, 5db 0,5 m cable MMCX-MALE
205168	Antenna, 6 band, 5db, 2,5 m cable MMCX-MALE
205175	Antenna, large profile, 2 band, 2m cable, 3dB, MMCX/Male
205176	Antenna, large profile, 2 band, 6m cable, 3dB, MMCX/Male
205184	Antenna, Wall/fin-type, quad band, 0,5m cable MMCX/Male
205185	Antenna, Wall/fin-type, quad band, 2m cable MMCX/Male
205186	Antenna, Wall/fin-type, quad band, 6m cable MMCX/Male
205187	Antenna, Wall/fin-type, quad band, 10m cable MMCX/Male
205188	Antenna, Wall/fin, quad band, 15m cable, MMCX/Male
205195	Antenna, Whip, 3 band, 0,25m cable, MMCX/Male
205119	Antenna, Pole, 5 band, 6m cable, MMCX/Male
205114	Antenna, Pole, 5 band, 10m cable, MMCX/Male
205196	Antenna, f. mast 2 band, 10m Cable, 1 band 3G, MMCX/Male
205197	Antenne, f.mast 2 band 10m kabel 1 band, 3G, MMCX/Male
205199	Antenne, Yagi f.mast 2 band 10 m Cable, MMCX/Male

Acessories for antennas		
569143	Bracket for wall mounting of mast antenna	
569140	1" Union nut for mast antenna	
750220	Cable for ant. incl. adapter Cable MMCX, 6m	
750221	Cable for ant. incl. adapter Cable MMCX, 10m	
750222	Cable for ant. incl. adapter Cable MMCX, 15m	
750223	Cable for ant. incl. adapter Cable MMCX, 20m	
750224	Cable for ant. incl. adapter Cable MMCX, 25m	
750230	Cable for Yagi ant. incl. adapterC. MMCX, 6m	
750231	Cable for Yagi ant. incl. adapterC. MMCX, 10m	
750232	Cable for Yagi ant. incl. adapterC. MMCX, 15m	
750233	Cable for Yagi ant. incl. adapterC. MMCX, 20m	
750234	Cable for Yagi ant. incl. adapterC. MMCX, 25m	



MJK Automation Blokken 9 DK-3460 Birkerød Denmark

Tel +45 45 56 06 56 www.mjk.com

We reserve the right to continuously improve our products and make any change in the stated specifications and dimensions without prior notice. Connect, nConnect, Mµ Connect, Chatter, MagFlux, Oxix, pHix compact, Shuttle and SuSix are registrered trademarks of MJK Automation. © 2015 Xylem, Inc.

